Author index

Akkerman, J.-W.N., see Joseph, S. (1054) 26
Arad, R., see Brandes, R. (1054) 219
Aubery, M., see Ogier-Denis, E. (1054) 149
Avruch, J., see Kyriakis, J.M. (1054) 73

Bar-Tana, J., see Brandes, R. (1054) 219
Barnes, S., see Sweeny, D.J. (1054) 21
Bauvy, C., see Ogier-Denis, E. (1054) 149
Benvenisty, N., see Brandes, R. (1054) 219
Billiau, A., see Masure, S. (1054) 317
Brandes, R., Arad, R., Benvenisty, N., Weil, S. and Bar-Tana, J.
The induction of adipose conversion by bezafibrate in 3T3-L1 cells. Synergism with dibutyryl-cAMP (1054) 219
Brauer, D., see Pfeffer, P.E. (1054) 169
Budnick, M., see Tonetti, M. (1054) 154
Burgos, J.G., see López Solís, R.O. (1054) 311

Campbell, D.G., see Munro, J. (1054) 225
Carney, E.M., see Maizels, E.T. (1054) 285
Carter, H.R., Wallace, M.A. and Fain, J.N.
Purification and characterization of PLC-β_m, a muscarinic cholinergic regulated phospholipase C from rabbit brain membrane (1054) 119
Carter, H.R., Wallace, M.A. and Fain, J.N.
Activation of phospholipase C in rabbit brain membranes by carbachol in the presence of GTPγS; effects of biological detergents (1054) 129
Codogno, P., see Ogier-Denis, E. (1054) 149
Cooper, D.R., Ishizuka, T., Watson, J.E., Standaert, M.L., Nair, G. and Farese, R.V.
Protein kinase C activation patterns are determinedi by methodological variations. Studies of insulin action in BC3H-1 myocytes and rat adipose tissue (1054) 95
Cutler, R.E., Jr., see Maizels, E.T. (1054) 285

Daher, G., see Sweeny, D.J. (1054) 21
Daly, J.W., see Nishizawa, Y. (1054) 213
Dexter, D., see Khachatrian, L. (1054) 237
Diasio, R.B., see Sweeny, D.J. (1054) 21
Dickey, B.F., see Khachatrian, L. (1054) 237
Dowd, T.L., see Schanne, F.A.X. (1054) 250
DuBourdieu, D.J. and Morgan, D.W.
Multiple pathways for signal transduction in the regulation of arachidonic acid metabolism in rat peritoneal macrophages (1054) 326

Ekblad, E.B.M. and Lička, V.
Extracellular potassium is necessary for acid translocation but not for acid formation in gastric mucosa (1054) 41
Ewadh, M.J.A., Tudball, N. and Rose, F.A.
Homocysteine uptake by human umbilical vein endothelial cells in culture (1054) 263
Ezaki, O., see Kasahara, T. (1054) 89

Fain, J.N., see Carter, H.R. (1054) 119
Fain, J.N., see Carter, H.R. (1054) 129
Farese, R.V., see Cooper, D.R. (1054) 95
Flawia, M.M., see Visconti, P.E. (1054) 231

Gautvik, K.M., see Klem, K.H. (1054) 304
Gleason, F.K., see Schallreuter, K.U. (1054) 14
Gordeladze, J.O., see Klem, K.H. (1054) 304
Gorter, G., see Joseph, S. (1054) 26
Gupta, R.K., see Schanne, F.A.X. (1054) 250
Gusovsky, F., see Nishizawa, Y. (1054) 213

Hagen, I., see Vassbotn, F.S. (1054) 246
Hartfield, P.J. and Robinson, J.M.
Fluoride-mediated activation of the respiratory burst in electropermeabilized neutrophils (1054) 176
Holmsen, H., see Vassbotn, F.S. (1054) 207
Holmsen, H., see Vassbotn, F.S. (1054) 246
Holt, J.C., see Rucinski, B. (1054) 257
Hunzicker-Dunn, M., see Maizels, E.T. (1054) 285

Indovina, P.L., see Santini, M.T. (1054) 333
Ishizuka, T., see Cooper, D.R. (1054) 95

Jablonski, G., see Klem, K.H. (1054) 304
Jackiw, V., see Maizels, E.T. (1054) 285
Janssen, M., see Smets, L.A. (1054) 49
Jardetzky, O., see Sze, D.Y. (1054) 181
Jardetzky, O., see Sze, D.Y. (1054) 198
Jarosz, G., see Klem, K.H. (1054) 304
Joseph, S., Siffert, W., Gorter, G. and Akkerman, J.-W.N.
Stimulation of human platelets by collagen occurs by a Na^+/H^+ exchanger independent mechanism (1054) 26
Jungwirth, A., Paulmichl, M. and Lang, F.
Cobalt activates potassium conductance in the plasma membrane of cultured renal epitheloid (MDCK)-cells (1054) 143

Kametani, F., see Kitagawa, S. (1054) 114
Kasahara, M., see Kasahara, T. (1054) 89
Kasahara, T., Ezaki, O. and Kasahara, M.
Different effects of two proteinase inhibitors on insulin-induced cellular responses in rat adipocytes (1054) 89
Kern, L., see Maizels, E.T. (1054) 285
Khachatrian, L., Rubins, J.B., Manning, E.C., Dexter, D., Tauber, A.I. and Dickey, B.F.
Subcellular distribution and characterization of GTP-binding proteins in human neutrophils (1054) 237
Kirst, G.O., see Kugel, H. (1054) 33
Kitagawa, S., Kotani, K. and Kametani, F.
Inhibitory mechanism of *cis*-polyunsaturated fatty acids on platelet aggregation: the relation with their effects on Ca^{2+} mobilization, cyclic AMP levels and membrane fluidity (1054) 114
Klem, K.H., Jablonski, G., Sæther, O., Jarosz, G., Gautvik, K.M. and Gordeladze, J.O.
1,25-dihydroxyvitamin D-3 and 24,25-dihydroxyvitamin D-3 affect parathormone (PTH) -sensitive adenylate cyclase activity and alkaline phosphatase secretion of osteoblastic cells through different mechanisms of action (1054) 304
Klumpp, S., see Steinlen, S. (1054) 69
Knudsen, K.A., see Rucinski, B. (1054) 257
Kotani, K., see Kitagawa, S. (1054) 114
Kugel, H., Mayer, A., Kirst, G.O. and Leibfritz, D.
The energy requirements of pH homoeostasis define the limits of pH regulation-a model (1054) 33

Kuhn, A.E., see Watson, M.H. (1054) 103
Kumosinski, T.F., see Pfeffer, P.E. (1054) 169
Kyriakis, J.M. and Avruch, J.
Insulin, epidermal growth factor and fibroblast growth factor elicit distinct patterns of protein tyrosine phosphorylation in BC_3H1 cells (1054) 73

Lang, F., see Jungwirth, A. (1054) 143
Langeland, N., see Vassbotn, F.S. (1054) 207
Langeland, N., see Vassbotn, F.S. (1054) 246
Leader, D.P., see Munro, J. (1054) 225
Leibfritz, D., see Kugel, H. (1054) 33
Lester, D.S.
In vitro linoleic acid activation of protein kinase C (1054) 297
Ličko, V., see Ekblad, E.B.M. (1054) 41
Loesberg, C., see Smets, L.A. (1054) 49
López Solís, R.O., Wilson, D.M. and Burgos, J.G.
Effect of isoproterenol analogs on the polypeptide composition of mouse parotid glands: relationship to enhanced growth (1054) 311

Maizels, E.T., Miller, J.B., Cutler, R.E., Jr., Jackiw, V., Carney, E.M., Kern, L. and Hunzicker-Dunn, M.
Calcium-independent phospholipid/diolein-dependent phosphorylation of a soluble ovarian M_r 80000 substrate protein. biochemical characteristics (1054) 285
Mak, A.S., see Watson, M.H. (1054) 103
Manning, E.C., see Khachatrian, L. (1054) 237
Martin, T.W. and Michaelis, K.C.
Ca^{2+}-dependent synthesis of prostaglandin I_2 and mobilization of arachidonic acid from phospholipids in cultured endothelial cells permeabilized with saponin (1054) 159
Masure, S., Billiau, A., Van Damme, J. and Opdenakker, G.
Human hepatoma cells produce an 85 kDa gelatinase regulated by phorbol 12-myristate 13-acetate (1054) 317
Mayer, A., see Kugel, H. (1054) 33
Michaelis, K.C., see Martin, T.W. (1054) 159
Miller, J.B., see Maizels, E.T. (1054) 285
Mooradian, A.D.
The hepatic transcellular transport of 3,5,3′-triiodothyronine is reduced in aged rats (1054) 1
Morgan, D.W., see DuBourdieu, D.J. (1054) 326
Moutsita, R., see Ogier-Denis, E. (1054) 149
Munro, J., Campbell, D.G. and Leader, D.P.
The activity of protein kinases from hamster fibroblasts towards a synthetic peptide based on a carboxy-terminal portion of ribosomal protein S6 (1054) 225
Muschietti, J.P., see Visconti, P.E. (1054) 231

Nair, G., see Cooper, D.R. (1054) 95
Niederman, R., see Tonetti, M. (1054) 154
Niewiarowski, S., see Rucinski, B. (1054) 257
Nishizawa, Y., Gusovsky, F. and Daly, J.W.
Local anesthetics: stimulation of incorporation of inositol into phosphoinositides in guinea pig cerebral cortical synaptoneurosomes (1054) 213

Ogier-Denis, E., Bauvy, C., Moutsita, R., Aubery, M. and Codogno, P.
Increased UDP-GlcNAc: α-mannoside $\beta(1 \rightarrow 4)$ *N*-acetylglucosaminyltransferase activity during chick embryo development (1054) 149
Opdenakker, G., see Masure, S. (1054) 317

Paulmichl, M., see Jungwirth, A. (1054) 143
Peterson, S.W., see Santini, M.T. (1054) 333
Pfeffer, P.E., Rolin, D.B., Brauer, D., Tu, S.-I. and Kumosinski, T.F.
In vivo ^{133}Cs-NMR a probe for studying subcellular compartmentation and ion uptake in maize root tissue (1054) 169
Pinna, L.A.
Casein kinase 2: an 'eminence grise' in cellular regulation? (1054) 267
Price, N.T. and Proud, C.G.
Phosphorylation of protein synthesis initiation factor-2. Identification of the site in the α-subunit phosphorylated in reticulocyte lysates (1054) 83
Proud, C.G., see Price, N.T. (1054) 83

Robinson, J.M., see Hartfield, P.J. (1054) 176
Rolin, D.B., see Pfeffer, P.E. (1054) 169
Rose, F.A., see Ewadh, M.J.A. (1054) 263
Rosen, J.F., see Schanne, F.A.X. (1054) 250
Rubins, J.B., see Khachatrian, L. (1054) 237
Rucinski, B., Niewiarowski, S., Holt, J.C., Soszka, T. and Knudsen, K.A.
Batroxostatin, an Arg-Gly-Asp-containing peptide from *Bothrops atrox*, is a potent inhibitor of platelet aggregation and cell interaction with fibronectin (1054) 257
Ryba, N.J.P., see Uhl, R. (1054) 56

Sæther, O., see Klem, K.H. (1054) 304
Santini, M.T., Indovina, P.L., Simmons, J.R. and Peterson, S.W.
Human erythrocyte insulin receptor down regulation is accompanied by a transient decrease in membrane order (1054) 333
Schallreuter, K.U., Gleason, F.K. and Wood, J.M.
The mechanism of action of the nitrosourea anti-tumor drugs on thioredoxin reductase, glutathione reductase and ribonucleotide reductase (1054) 14
Schanne, F.A.X., Dowd, T.L., Gupta, R.K. and Rosen, J.F.
Effect of lead on parathyroid hormone-induced responses in rat osteoblastic osteosarcoma cells (ROS 17/2.8) using ^{19}F-NMR (1054) 250
Schultz, J.E., see Steinlen, S. (1054) 69
Siffert, W., see Joseph, S. (1054) 26
Simmons, J.R., see Santini, M.T. (1054) 333
Smets, L.A., Loesberg, C., Janssen, M. and Van Rooij, H.
Intracellular inhibition of mono(ADP-ribosylation) by *meta*-iodobenzylguanidine: specificity, intracellular concentration and effects on glucocorticoid-mediated cell lysis (1054) 49
Soszka, T., see Rucinski, B. (1054) 257
Standaert, M.L., see Cooper, D.R. (1054) 95
Steinlen, S., Klumpp, S. and Schultz, J.E.
Guanylate cyclase in olfactory cilia from rat and pig (1054) 69
Sweeny, D.J., Daher, G., Barnes, S. and Diasio, R.B.
Biological properties of the 2-fluoro-β-alanine conjugates of cholic acid and chenodeoxycholic acid in the isolated perfused rat liver (1054) 21
Sze, D.Y. and Jardetzky, O.
Characterization of lipid composition in stimulated human lymphocytes by ^1H-NMR (1054) 181
Sze, D.Y. and Jardetzky, O.
Determination of metabolite and nucleotide concentrations in proliferating lymphocytes by ^1H-NMR of acid extracts (1054) 198

Tanoue, K., see Yamaguchi, A. (1054) 8
Tauber, A.I., see Khachatrian, L. (1054) 237
Tezon, J.G., see Visconti, P.E. (1054) 231
Tonetti, M., Budnick, M. and Niederman, R.
Receptor-stimulated actin polymerization requires cytoplasmic acidification in human PMNs (1054) 154
Tu, S.-I., see Pfeffer, P.E. (1054) 169
Tudball, N., see Ewadh, M.J.A. (1054) 263

Uhl, R. and Ryba, N.J.P.
Transducin activation and deactivation in rod systems of different structural integrity. Attempts at a focussed view through scattered light (1054) 56

Van Damme, J., see Masure, S. (1054) 317
Van Rooij, H., see Smets, L.A. (1054) 49
Vassbotn, F.S., Langeland, N. and Holmsen, H.
Neomycin inhibits PDGF-induced IP_3 formation and DNA synthesis but not PDGF-stimulated uptake of inorganic phosphate in C3H/10T1/2 fibroblasts (1054) 207
Vassbotn, F.S., Langeland, N., Hagen, I. and Holmsen, H.
A monoclonal antibody against PDGF B-chain inhibits PDGF-induced DNA synthesis in C3H fibroblasts and prevents binding of PDGF to its receptor (1054) 246
Visconti, P.E., Muschietti, J.P., Flawia, M.M. and Tezon, J.G.
Bicarbonate dependence of cAMP accumulation induced by phorbol esters in hamster spermatozoa (1054) 231
Wallace, M.A., see Carter, H.R. (1054) 119
Wallace, M.A., see Carter, H.R. (1054) 129
Watson, J.E., see Cooper, D.R. (1054) 95
Watson, M.H., Kuhn, A.E. and Mak, A.S.
Caldesmon, calmodulin and tropomyosin interactions (1054) 103
Weil, S., see Brandes, R. (1054) 219
Wilson, D.M., see López Solís, R.O. (1054) 311
Wood, J.M., see Schallreuter, K.U. (1054) 14

Yamaguchi, A., Tanoue, K. and Yamazaki, H.
Secondary signals mediated by GPIIb/IIIa in thrombin-activated platelets (1054) 8
Yamazaki, H., see Yamaguchi, A. (1054) 8